

## Fair State Brewing Cooperative

2075 Ellis Ave  
Saint Paul, MN 55114  
joe@fairstate.coop  
(517) 775-5908

Sample: 2312AIT0832.1862

Strain: n/a  
Batch#: ; Batch Size: g  
Sample Received: 12/20/2023; Report Created: 12/21/2023

## CHL03 - Lemon

Ingestible, Beverage



0.001%  
5.0 mg/serving  
Total THC

<LOQ  
<LOQ  
Total CBD

0.001%  
5.0 mg/serving  
Total Cannabinoids

## Cannabinoids

Date Tested: 12/21/2023

| Analytes | %     | mg/g  | mg/ml | mg/serving | LOQ   |
|----------|-------|-------|-------|------------|-------|
| CBC      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBD      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBDa     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBDV     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBG      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBGa     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBL      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBN      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| Δ8-THC   | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| Δ9-THC   | 0.001 | 0.011 | 0.011 | 4.969      | 0.001 |
| THCa     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| THCVa    | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |

Method: HPLC  
Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.  
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %  
LOQ = Limit of Quantitation

## Summary

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com




John Schmidt  
Analytical Chemist



Confident Cannabis  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.